

DZ SERIES SINGLE CHAMBER VACUUM PACKING MACHINE

It is suitable for different industry products, like meat, poultry, soy products, corn, eggs, preserved fruits, grain, dairy products, herbs, vegetables, chemicals, electronic components, etc.

Control Panel for all single chambers



PCB Controller
(Standard)



Smart Controller
(Touch screen)



Button Controller
(Traditional)


Sealing bar position:




◆ Table-top Series

DZ-260/300/320 T VACUUM PACKING MACHINE


Model	DZ-260 T	DZ-300 T	DZ-320 T
Voltage	110V/220V/380V		50/60HZ
Pump Power	0.37KW	0.37KW	0.37KW
Vacuum Pump Rate	8 m3/h	8 m3/h	10 m3/h
Sealing Power	0.3KW	0.35KW	0.38KW
Sealing Size	260*8mm (1 pcs)	300*8mm (1 pcs)	320*10mm (1 pcs)
Packing Capacity	1-2 times/min	1-2 times/min	1-2 times/min
Chamber Dimension	280*385*50/80mm	385*320*50/80mm	360*380*70mm
Overall Dimension	430*330*350mm	430*410*350mm	410*470*400mm
Weight	40Kg	48Kg	50kg



DZ-260 T



DZ-300 T



DZ-320 T


DZ-400/500 T VACUUM PACKER

Model	DZ-400 T table-top	DZ-500 T table-top
Voltage	110V/220V/380V	50/60HZ
Pump Power	0.75KW	0.75KW
Vacuum Pump Rate	20 m ³ /h	20 m ³ /h
Sealing Power	0.4KW	0.45KW
Sealing Size	400*10 (1 pcs)	500*10 (1 pcs)
Packing Capacity	1-3 times/min	1-3 times/min
Chamber Dimension	440*435*80mm	520*520*80mm
Overall Dimension	520*490*540mm	575*650*620mm
Weight	85KG	95KG



DZ-400/500/600 2D VACUUM PACKER

Model	DZ-400 2D	DZ-500 2D	DZ-600 2D
Voltage	110V/220V/380V 50HZ		
Pump Power	0.75KW	0.75KW	0.75KW
Vacuum Pump	20 m ³ /h	20 m ³ /h	20 m ³ /h
Sealing Power	0.8KW	0.9KW	1.0KW
Sealing Size	400*10 (2 pcs)	500*10 (2 pcs)	600*10 (2 pcs)
Capacity	1-3 times/min	1-3 times/min	1-3 times/min
Chamber Size	440*435*80mm	520*520*80mm	600*620*80mm
Overall Dimension	535*490*1000mm	575*650*1020mm	650*740*1060mm
Weight	120KG	165KG	185KG



STAINLESS STEELS COVER MODELS


DZ-400/500/600 2G VACUUM PACKER

Model	DZ-400 2D G	DZ-500 2D G	DZ-600 2D G
Voltage	110V/220V/380V 50/60HZ		
Pump Power	0.75KW	0.75KW	0.75KW
Vacuum Pump	20 m ³ /h	20 m ³ /h	20 m ³ /h
Sealing Power	0.8KW	0.9KW	1.0KW
Sealing Size	400*10 (2 pcs)	500*10 (2 pcs)	600*10 (2 pcs)
Packing Capacity	1-3 times/min	1-3 times/min	1-3 times/min
Chamber Size	440*420*150mm	520*520*150mm	600*620*150mm
Overall Dimension	535*490*1000mm	575*650*1020mm	650*740*1060mm
Weight	125KG	170KG	190KG




*Chamber size is similar to DZ-X00 2D models, only with bigger depth of 150mm.


Model	DZ-700 2L	DZ-800 T	DZ-900 T
Voltage	110V/220V/380V 50/60HZ		
Pump Power	0.75KW*2	0.75KW*2	1.5KW
Vacuum Pump	40 m ³ /h	40 m ³ /h	40 m ³ /h
Sealing Power	1.1KW	1.1-1.5KW	1.5-2.2KW
Sealing Size	700*10/400*10 mm	800*10mm	900*10mm
Capacity	1-3 times/min	1-3 times/min	1-3 times/min
Chamber Dimension	785*485*150mm	820*585*150mm	920*635*150mm
Overall Dimension	865*550*1060mm	900*705*1060mm	980*755*1060mm
Weight	185KG	220KG	245KG




DZ-700 T




DZ-800 T




DZ-900 T



DZ-700 2L



DZ-800 2L



DZ-900 2L